

avenlur

Bush by Avenlur



Need Help?

CALL US AT 888.697.3931 / M-F 9AM - 5PM PT (12PM - -8PM ET)
OR EMAIL US AT INFO@AVENLUR.COM

WARNING

Adult assembly required.

WARNING

Maximum user weight: 110 lbs (50kg) per child.

WARNING

CHOKING HAZARD:

Adult assembly required. Keep small assembly parts out of reach of children.

 Use under adult supervision.

**OBSERVE ALL STATEMENTS AND WARNINGS TO REDUCE THE LIKELIHOOD OF SERIOUS OR FATAL INJURY.
SAVE THIS SHEET FOR FUTURE REFERENCE.**

OPERATION INSTRUCTIONS

1. An adult should always supervise use of this product by children of all ages.
2. Instruct children not to attach items to the playground equipment that are not specifically designed for use with the equipment (examples: ropes, clothesline, pet leashes, cables and chain, etc) as they may cause a strangulation hazard or any other hazard.
3. Never allow children to use the equipment in a manner other than intended.

MAINTENANCE INSTRUCTIONS

1. Inspect the product periodically for loose or damaged components. **Tighten bolts if need.**
2. Check all connections and bolts for tightness at least twice monthly during the usage.
3. Check all coverings and bolts for sharp edges.

INSTALLATION INSTRUCTIONS

Please have an electrical drill available for assembly if possible.

If you have difficulty in installation, please contact us for help and get installation video for reference.

Please Ensure:


1. You are assembling with at least two people to ensure that all sides and parts are leveled.
2. You don't screw the parts in too hard or it will splinter the wood.
3. You follow the directions carefully.

CONTACT US BEFORE ASSEMBLY IF:


- You need assistance with assembly
- You need a replacement part due to a missing part or defective part

Call us at 888-697-3931 M-F 9AM-5PM PT


or email us at info@avenlur.com




① x1 40.1in



② x1 15.7in




③ x2 44.3in



④ x2 16.3in



⑤ x1 17.8in



⑥ x1 17.8in




⑦ x4 16.5in




⑧ x1 17.8in
Velcro




⑨ x1 17.8in
Velcro




⑩ x6 21in




⑪ x1 41.5in Velcro




⑫ x1 41.5in



⑬ x1 30.5in



⑭ x1 44.1in



⑮ x1 60.7in



⑯ x1 64in



⑰ x1 60.7in




⑱ x1 64in



⑲ x2 49in



⑳ x2 12.3in




21 x1 20.3in



22 x1 20.3in



23 x1 20.3in



24 x1 20.3in




25 x2 20.3in




26 x1 15.1in




27 x2 106.3in



28 x1 46.5in




29



m4*25

A x4



m6.3*40

B x69




m6*80 m6*13

C x4



m6*30 m6*20

D x6




m6*30 m6*30

E x2



m6*30


F x8




4mm


G x2

01-1





B	 m6.3*40	10
G	 4mm	1



01-2




02-1





Fix the side with protruding end first.

B	 m6.3*40	4
G	 4mm	1


02-2




03-1



Fix the side with protruding end first.


B	 m6.3*40	4
G	 4mm	1


03-2




04-1

Fix the side with protruding end first.




B		12
	m6.3*40	
G		1
	4mm	

04-2




05-1

Put the nut into the hole first and make it aligned with the screw, and then tighten it.




02-2




03-2


	m6*80 m6*13	4
	4mm	1

05-2




06-1




D	 m6*30 m6*20	2
G	 4mm	2

06-2




07-1




B	 m6.3*40	11
G	 4mm	1

07-2




B	 m6.3*40	6
G	 4mm	1

07-3




A	 m4*25	4
G	 4mm	1


07-4




08-1




08-2






10-1




10-2



11-1

10-2

06-2




11-2

10-2

06-2





10-2


06-2




D		m6*30 m6*20	4
G		4mm	2

12-1









Use Velcro to attach 28 (tent) to the corresponding position as shown.




01-2



Slide the ropes through
the holes on each side
and tie them in a knot



15-1



16-1

