


avenlur

Indoor/Outdoor Chestnut-Large by Avenlur



WARNING:

Adult assembly required.

Need Help?

CALL US AT 888.697.3931 / M-F 9AM - 5PM PT (12PM - -8PM ET)

OR EMAIL US AT INFO@AVENLUR.COM

V5

WARNING

Adult assembly required.

WARNING

Maximum user weight: 110 lbs (50kg) per child.

WARNING

CHOKING HAZARD:

Adult assembly required. Keep small assembly parts out of reach of children.

 Use under adult supervision.

OBSERVE ALL STATEMENTS AND WARNINGS TO REDUCE THE LIKELIHOOD OF SERIOUS OR FATAL INJURY. SAVE THIS SHEET FOR FUTURE REFERENCE.

OPERATION INSTRUCTIONS

1. An adult should always supervise use of this product by children of all ages.
2. Instruct children not to attach items to the playground equipment that are not specifically designed for use with the equipment (examples: ropes, clothesline, pet leashes, cables and chain, etc) as they may cause a strangulation hazard or any other hazard.
3. Never allow children to use the equipment in a manner other than intended.

MAINTENANCE INSTRUCTIONS

1. Inspect the product periodically for loose or damaged components. **Tighten bolts if need.**
2. Check all connections and bolts for tightness at least twice monthly during the usage.
3. Check all coverings and bolts for sharp edges.

INSTALLATION INSTRUCTIONS

Please have an electrical drill available for assembly if possible.

If you have difficulty in installation, please contact us for help and get installation video for reference.

Please Ensure:

1. You are assembling with at least two people to ensure that all sides and parts are leveled.
2. You don't screw the parts in too hard or it will splinter the wood.
3. You follow the directions carefully.

CONTACT US BEFORE ASSEMBLY IF:

- You need assistance with assembly
- You need a replacement part due to a missing part or defective part

Call us at 888-697-3931 M-F 9AM-5PM PT

or email us at info@avenlur.com



① ×1 62.5in



② ×1 62.5in




③ ×1 62.5in



④ ×1 62.5in



⑤ ×1 62.5in




⑥ ×1 62.5in



⑦ ×1 62.5in





⑧ ×1 62.5in



⑨ ×1 53.5in




⑩ ×1 53.5in




⑪ ×1 53.5in





⑫ ×1 53.5in





⑬ ×2 45.5in





⑭ ×1 10in




⑮ ×1 10in




⑯ ×1 10in




⑰ ×1 10in



⑱ ×2 10in




⑲ ×2 10in



⑳ ×1 10in



㉑ ×1 10in



㉒ ×1 10in



㉓ ×1 10in



㉔ ×20 14.3in




㉕ ×11 18in



㉖ ×5 17.3in




㉗ ×4 53.5in




28 × 1 47in




29 × 1 55in



30 × 1



31 × 1



32 × 2



33 × 9



34 × 1 16.3in



35 × 3 17.3in



36 × 1 14in



37 × 1 35.7in



38 × 2 19in




39 × 1 53.5in




40 × 3



41 × 2



42 × 6



43 × 1 16.7in



M4×30

A × 9



M4×40

B × 10



M7×50

C × 92



M7×70

D × 2



M6×30 M6×20

E × 2



M6×50 M6×20

F × 10



M6×30 M6×20

G × 2




M6×50 M6×20

H × 10



M6×80 M6×20

I × 2



M10×35

J × 18



4mm

K × 2



8mm

L × 1



17mm

M × 1




M10×17×20


N × 18

01-1



Note: Pay attention to all the black bubbled section markers. The manual may refer back to those later.




Position Part 12 so that the end with the large hole is facing this direction.




The protruding end of 24 fits with the holes of parts 12. Attach the protruding ends first to 12 with screw C before attaching the other side.




Note: Ensure that Side A and Side B are facing the correct direction






Do not install screws on the marked Part 24 in red.






C M7x50 20



The protruding end of ②④ fits with the holes of parts ⑩. Attach the protruding ends first to ⑩ with screw ③ before attaching the other side.




Note: Ensure to place both poles with the top sticker facing upwards




04-1


Note: Ensure to place both poles with the top sticker facing upwards.





The protruding end of 25 fits with the holes of parts 3. Attach the protruding ends first to 3 with screw C before attaching the other side.




Note: make sure to push all rungs firmly inside the holes before screwing in the screws




04-2





Note: YOU MUST ENSURE THAT EVERY PART OF THIS STEP HAS SIDE A AND SIDE B FACING THE CORRECT DIRECTION AND FACING THE RIGHT SIDE UP AS SHOWN BELOW




Note: YOU MUST ENSURE THAT EVERY PART OF THIS STEP HAS SIDE A AND SIDE B FACING THE CORRECT DIRECTION AND FACING THE RIGHT SIDE UP AS SHOWN BELOW





05-3






43 Measuring Stick
NOTE: DO NOT INSTALL


NOTE: A MEASURING STICK HAS BEEN INCLUDED TO ENSURE EXACT NECESSARY DISTANCES ARE USED AT THIS STEP. DO NOT INSTALL THIS PART INTO THE SET.




Place part 7 in between joints 21 and 18. Slide part 27 through joint 18, joint 21, part 7 and joint 18. Do not continue to slide part 27 further.




Lay out section 01-1 - Ensure that parts 17 is on the left and part 14 is on the right.




Place section 01-1 between joints 18 and 19. Before continuing to slide 27 through, double check that joint 17 is on the left, and joint 14 is on the right. Proceed to slide pole 27 through joint 18, section 01-1 and joint 19. Do not continue to slide part 27 any further than joint 19.




Lay out section 03-1 as shown.
Ensure that part 6 is on the left and part 5 is on the right




Place section 03-1 with leg # 6 fitting between joints 19 and 20, and leg # 5 placed after joint 19 on the left side as shown. Continue sliding 27 through joint 20 - section 03-1 - joint 19 and leg # 5





Flip ladder over






Insert the other 27 through legs # 7, 6 and 5






The protruding end of 26 fits with the holes of parts 7. Attach the protruding ends first to 7 with screw C before attaching the other side.





06-7




	 M4×30	4
--	---	---

07-1

Flip over and stand up as shown in the steps below, so that this section can stand up on its own for now



07-2




08-1



TOP ↑
22
SIDE B

TOP ↑
23
SIDE A




Note: Ensure that Side A and Side B are facing the correct direction









(F)	M6×50 M6×20	4
(H)	M6×50 M6×20	2
(K)	4mm	2







The protruding end of 34 fits with the holes of parts 15. Attach the protruding ends first to 15 with screw C before attaching the other side.





C	 M7×50	2	H	 M6×50 M6×20	2
D	 M7×70	2	K	 4mm	2
F	 M6×50 M6×20	2			




F	 M6×50 M6×20	4
H	 M6×50 M6×20	2
K	 4mm	2






13-1





J		M10×35	18
L		8mm	1
M		17mm	1


N		M10×17×20	18
----------	--	-----------	----

B		M4×40	10
----------	--	-------	----

Note: Make sure the blue seal rim on the nut is facing outward towards you. You may need to twist very hard to secure (and if needed spray WD-40) being that it's meant to be very tight and secure for children to climb on!




14-1












Note: Part 42 must pass from bottom to top as shown by the arrow, or the strap will be easy to pull out

The knotting method of Part 31 is the same as Part 30.




Note: The reserved length of the rope after knotting should be more than 2in here.



NOTE: Tie a knot at one end of rope (30), place a disk in a knot every 10 inches, the largest disk is at the bottom as shown in the illustration.


Folding steps

Step 1




Remove ① screws and bar

Step 2




Remove 2 ② screws and fold bars down
Remove 2 ③ screws



Step 3



Step 4



Step 5



Note: Part ④ must pass from bottom to top as shown by the arrow, or the strap will be easy to pull out


Note: Part ④ is tied above the sixth part ⑤ from bottom to top. On the left side, use part ④ to tie four parts (part ⑥, ⑫, ⑩ & ③⑧) together; on the right side, use another part ④ to tie four parts (part ⑪, ⑦, ③⑧ & ⑨) together as shown

Folding steps

Note: Check all connections and bolts for tightness at least twice monthly during use.
Do not use if screws are loose.

Do not leave the set outdoors unless you treat the wood with sealant


Step 6



IMPORTANT: Loosen the 4 black screws Part **H** before folding. If folding is attempted while black screws are tight, this may cause the wood to crack.

Remove two **H** screws and fold bars up

Step 7



Step 8

